



2014

HS[®] SPRENGER

DOG EQUIPMENT

TRAINING



Coaterz

designed by *petlando*

Stylish Cover for all SPRENGER Training Collars

- high quality outer material
- excellent resistance against mud and water
- if necessary, easily to clean just with a moist cleaning rag
- art leather for upper material
- velcro fasteners
- **4 designs:**
Stars & Stripes (1), Desert Light (2), Pink Corona (3), Night Walker (4)
(Night Walker is a reflecting design)
- **each design available in 3 sizes:**
size S = 001 (31 x 2.5 cm) for training collars made of 2.25 mm wire
size M = 002 (41 x 3.5 cm) for training collars made of 3.2 mm wire
size L = 003 (51 x 4.5 cm) for training collars made of 4.0 mm wire
- article numbers are on page 19

Features of our Qualities:

Steel Chrome plated (02) Nickel plated (01)



Brass Polished (33)



Stainless Steel (55)



Stainless Steel Black (57)



Stainless Steel Matt (65)



Stainless Steel Black Matt (66)



CUROGAN (67)



CUROGAN Matt (68)



Training Collars 6-13

General Information 6-7

Stainless Steel black 8

Stainless Steel 9-10

CUROGAN 11

Steel Chrome Plated 12

Steel Nickel Plated 13

Steel Browned 13

NeckTech 14-17

General Information 14-15

Stainless Steel 16

Stainless Steel Matt 16

Stainless Steel Black Matt 17

CUROGAN Matt 17

Miscellaneous 18-19

Show Collars 18

Nylon Covers 19

Coaterz 19

Plastic Caps 19

360° Run for Dogs 19

Signal Horn 19



TRAINING COLLAR

**We rely upon highest quality –
for the safety of your dog.**

Dog training should be based upon the active, happy and independent cooperation of the dog. A learning process consisting of the least possible stress for the animal calls for patient training without harsh punishment or force as well as a considerable investment of time.

ULTRA-PLUS

The Training Collar for professional dog training

- consistent pressure by the synchronous arranged middle links for optimised communication with the dog
- no risk of injury through well rounded tips – SAFETY ENDS for the safety of dog and human being
- utilisation of high grade materials with consistent quality for guaranteed tensile strengths for all chain types and materials
- all SPRENGER training collars are solely available in the optimized ULTRA-PLUS version
- a training collar must belong in proficient and responsible hands only



Inevitably, there are different theories for one reason or another which warn against the use of a training collar, although this training tool which has unfortunately fallen falsely into disrepute can help to correct inappropriate behavior when used by an expert. Furthermore the use of the training collar achieves retention to what has been trained. The use should be purely temporary. Permanent use may lead to desensitivation and over time negatively influence the learning success already achieved.

The training collar is a powerful training tool which belongs in expert hands!

In the professional "Schutzhund" training of police and Military K9's, our products are part of the daily training. These institutions especially value the use of high grade products of consistent quality. Consequently, the training collars from Herm. SPRENGER are used in this field and offer extra safety for the animal, the dog handler as well as for the civilian.

Concerning the development and production of their products, Herm. SPRENGER GmbH puts its focus on the highest grade with consistent quality, to minimise health risks and to help prevent a risk of injury for the dog.

To achieve this purpose, we supply training collars with rounded tips "SAFETY END" and award tensile strengths for each metal of each type of chain and gauge. To be able to maintain the principle of consistent quality, Herm. SPRENGER manufactures exclusively at its factory location in Iserlohn, Germany.

Unfortunately, there are numerous products made in countries with a low wage economy on the market which often have low and inconsistent quality. Thus they represent a very high level of risk. Many of these training collars present a high risk of injury for the dogs caused by unprocessed and thus sharp or rather pointed cut edges. These poor safety factors should be closely considered before purchasing these substandard training tools. The criticism to welfare concerning training collars is not only reinforced by the import of low grade products, the "black Sheep" who modify the products in a way that they become dangerous are also partly responsible for this situation.



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STAINLESS STEEL
black

- standard version with two rings
- classic styling with assembly chain
- for professional dog training

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50004 | 010 | 57 | 3.2 | 58 | 40 kg |
| 50045 | 010 | 57 | 4.0 | 63 | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

ClicLock

STAINLESS STEEL
black

- base model with one ring
- safe & easy to apply the collar due to the ClicLock
- quick and pinpoint influence

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50037 | 010 | 57 | 2.25 | 40 | 20 kg |
| 50007 | 010 | 57 | 3.2 | 52 | 40 kg |
| 50047 | 010 | 57 | 4.0 | 60 | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

ClicLock

STAINLESS STEEL
black

- for competent and experienced trainers only
- appr. 90% influence around the neck through four additional middle links and the direct connection of ClicLock and links

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50108 | 014 | 57 | 3.2 | 58 | 40 kg |



ClicLock „Jacket“

- protective cover for the button of the ClicLock
- made of technical high-grade plastic
- the arrow on the back helps to fit the Jacket on the ClicLock
- from now on all products with ClicLock will be delivered with the Jacket

| article-no. | | | width mm | colour |
|-------------|-------|--------|----------|------------|
| no. | width | colour | | |
| 60152 | 020 | 71 | 20 | anthracite |



Middle links for lengthening

STAINLESS STEEL
black

| article-no. | | | wire gauge mm | length cm |
|-------------|---------|----|---------------|-----------|
| no. | quality | | | |
| 50530 | 000 | 57 | 2.25 | 3 |
| 50500 | 000 | 57 | 3.2 | 4 |
| 50540 | 000 | 57 | 4.0 | 5 |

ULTRA-PLUS Training Collar with Center-Plate and ClicLock

ClicLock STAINLESS STEEL

- base model with one ring
- safe & easy to apply the collar due to the ClicLock
- quick and pinpoint influence

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50037 | 010 | 55 | 2.25 | 40 | 20 kg |
| 50037 | 014 | 55 | 2.25 | 52 | 20 kg |
| 50007 | 010 | 55 | 3.2 | 52 | 40 kg |
| 50047 | 010 | 55 | 4.0 | 60 | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

ClicLock STAINLESS STEEL

- base model with two rings and nylon restriction
- training with or without restriction is possible by choosing the respective ring for attaching the leash

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50036 | 010 | 55 | 2.25 | 40 | 20 kg |
| 50026 | 010 | 55 | 3.2 | 52 | 40 kg |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

ClicLock STAINLESS STEEL

- centered leash attachment by clasping the hook of the leash into both rings
- safe & easy to apply the collar due to the ClicLock

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50039 | 010 | 55 | 2.25 | 40 | 20 kg |
| 50029 | 010 | 55 | 3.2 | 52 | 40 kg |
| 50049 | 010 | 55 | 4.0 | 60 | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and Nylon Handle

STAINLESS STEEL

- retrieving aid: recommended by Knut Fuchs
- book tip: Retrieving from A-Z by Knut Fuchs
- alternatively usable as a handle

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50011 | 010 | 55 | 3.2 | 54 | 40 kg |



ULTRA-PLUS Training Collar with Center-Plate and ClicLock

ClicLock STAINLESS STEEL

- for competent and experienced trainers only
- appr. 90% influence around the neck through four additional middle links and the direct connection of ClicLock and links

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50108 | 014 | 55 | 3.2 | 58 | 40 kg |





ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STAINLESS STEEL

- standard version with two rings
- classic styling with assembly chain
- for professional dog training

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50004 | 010 | 55 | 3.2 | 58 | 40 kg |
| 50045 | 010 | 55 | 4.0 | 63 | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STAINLESS STEEL

- comfort version with one ring and one swivel
- classic styling with assembly chain
- for professional dog training
- more flexibility between the dog collar and the leash due to the swivel

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50135 | 010 | 55 | 2.25 | 41 | 20 kg |
| 50105 | 010 | 55 | 3.2 | 58 | 40 kg |
| 50145 | 010 | 55 | 4.0 | 63 | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STAINLESS STEEL

- comfort-plus version with swivel and quick-release snap hook
- more flexibility between the dog collar and the leash due to the swivel
- for professional dog training

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|---------------|-----------|---------------------------------|
| no. | quality | | | | |
| 50103 | 010 | 55 | 3.2 | 58 | 40 kg |
| 50143 | 010 | 55 | 4.0 | 63 | 70 kg |



Middle links for lengthening

STAINLESS STEEL

| article-no. | | | wire gauge mm | length cm |
|-------------|---------|----|---------------|-----------|
| no. | quality | | | |
| 50530 | 000 | 55 | 2.25 | 3 |
| 50500 | 000 | 55 | 3.2 | 4 |
| 50540 | 000 | 55 | 4.0 | 5 |

ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

- standard version with two rings
- classic styling with assembly chain
- for professional dog training



TRAINING COLLAR

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|-----|---------------|-----------|---------------------------------|
| no. | quality | no. | | | |
| 50035 | 010 | 67 | 2.25 | 41 | 15 kg |
| 50004 | 010 | 67 | 3.2 | 58 | 30 kg |
| 50045 | 010 | 67 | 4.0 | 63 | 35 kg |

ULTRA-PLUS Training Collar with Center-Plate and ClicLock



- base model with one ring
- safe & easy to apply the collar due to the ClicLock
- quick and pinpoint influence
- for professional dog training



| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|-----|---------------|-----------|---------------------------------|
| no. | quality | no. | | | |
| 50037 | 010 | 67 | 2.25 | 40 | 15 kg |
| 50007 | 010 | 67 | 3.2 | 52 | 30 kg |
| 50047 | 010 | 67 | 4.0 | 60 | 35 kg |

Middle links for lengthening

| article-no. | | | wire gauge mm | length cm |
|-------------|---------|-----|---------------|-----------|
| no. | quality | no. | | |
| 50530 | 000 | 67 | 2.25 | 3 |
| 50500 | 000 | 67 | 3.2 | 4 |
| 50540 | 000 | 67 | 4.0 | 5 |





ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STEEL
Chrome Plated

- standard version with two rings
- classic styling with assembly chain
- for professional dog training

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|------------------|--------------|------------------------------------|
| no. | quality | | | | |
| 50035 | 010 | 02 | 2.25 | 41 | 20 kg |
| 50015 | 010 | 02 | 3.0 | 55 | 40 kg |
| 50004 | 010 | 02 | 3.2 | 58 | 40 kg |
| 50045 | 010 | 02 | 4.0 | 63 | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STEEL
Chrome Plated

- comfort version with one ring and one swivel
- classic styling with assembly chain
- for professional dog training
- more flexibility between the dog collar and the leash due to the swivel

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|------------------|--------------|------------------------------------|
| no. | quality | | | | |
| 50135 | 010 | 02 | 2.25 | 41 | 20 kg |
| 50115 | 010 | 02 | 3.0 | 55 | 40 kg |
| 50105 | 010 | 02 | 3.2 | 58 | 40 kg |
| 50145 | 010 | 02 | 4.0 | 63 | 70 kg |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STEEL
Chrome Plated

- comfort-plus version with swivel and quick-release SPRENGER scissor snap hook
- no opening of the scissor snap hook under tension
- more flexibility between the dog collar and the leash due to the swivel
- for professional dog training

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|------------------|--------------|------------------------------------|
| no. | quality | | | | |
| 50136 | 010 | 02 | 2.25 | 41 | 20 kg |
| 50116 | 010 | 02 | 3.0 | 55 | 40 kg |
| 50106 | 010 | 02 | 3.2 | 58 | 40 kg |
| 50146 | 010 | 02 | 4.0 | 63 | 70 kg |



Middle links for lengthening

STEEL
Chrome Plated

| article-no. | | | wire gauge mm | length cm |
|-------------|---------|----|------------------|--------------|
| no. | quality | | | |
| 50530 | 000 | 02 | 2.25 | 3 |
| 50510 | 000 | 02 | 3.0 | 4 |
| 50500 | 000 | 02 | 3.2 | 4 |
| 50540 | 000 | 02 | 4.0 | 5 |

ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STEEL
Nickel Plated

- standard version with two rings
- classic styling with assembly chain
- for professional dog training

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|---------|------------------|--------------|------------------------------------|
| no. | quality | quality | | | |
| 50004 | 010 | 01 | 3.2 | 58 | 40 kg |
| 50045 | 010 | 01 | 4.0 | 63 | 70 kg |



Middle links for lengthening

STEEL
Nickel Plated

| article-no. | | | wire gauge mm | length cm |
|-------------|---------|---------|------------------|--------------|
| no. | quality | quality | | |
| 50500 | 000 | 01 | 3.2 | 4 |
| 50540 | 000 | 01 | 4.0 | 5 |



ULTRA-PLUS Training Collar with Center-Plate and Assembly Chain

STEEL
Browned

- comfort version with one ring and one swivel
- classic styling with assembly chain
- for professional dog training
- more flexibility between the dog collar and the leash due to the swivel

| article-no. | | | wire gauge mm | length cm | for dogs with max. weight up to |
|-------------|---------|---------|------------------|--------------|------------------------------------|
| no. | quality | quality | | | |
| 50115 | 010 | 13 | 3.0 | 55 | 40 kg |
| 50145 | 010 | 13 | 4.0 | 63 | 70 kg |



Middle links for lengthening

STEEL
Browned


| article-no. | | | wire gauge mm | length cm |
|-------------|---------|---------|------------------|--------------|
| no. | quality | quality | | |
| 50510 | 000 | 13 | 3.0 | 4 |
| 50540 | 000 | 13 | 4.0 | 5 |



Premium-Quality in Appealing Design

NeckTech “sport” imitates the fang teeth of a dog, thus resulting in the following advantages:

- This type of chain has a natural influence on the dog.
- A communication is achieved which the dog understands and will react on sensibly.
- This achieves harmony and confidence between dog and person during the educational phase.
- The NeckTech offers a pleasant comfort in wearing for short- and long haired dogs. On extremely long haired dogs the intensity of the influence is reduced.
- If preferred, single elements of “sport” can be replaced by elements of a “fun” collar, through which a very precise and accentuated work with the dog is made possible.
- **NeckTech Sport is available in a variety of different metal finishes which are STAINLESS STEEL polished and the new stylings STAINLESS STEEL MATT, STAINLESS STEEL BLACK MATT and CUROGAN MATT.**







NeckTech "sport" with ClicLock



STAINLESS STEEL

- base model with one ring
- safe & easy to apply the collar due to the ClicLock
- quick and pinpoint influence
- for characteristics please look on page 14

| article-no. | | | width mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|----------|-----------|---------------------------------|
| no. | quality | | | | |
| 50050 | 010 | 55 | 20 | 48 | 65 kg |
| 50050 | 014 | 55 | 20 | 60 | 65 kg |



NeckTech "sport" with Assembly Chain

STAINLESS STEEL

- screw fastening carabiner protects against unintentional opening
- more flexibility between the dog collar and the leash due to the swivel
- classic styling with assembly chain
- for characteristics please look on page 14

| article-no. | | | width mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|----------|-----------|---------------------------------|
| no. | quality | | | | |
| 50155 | 010 | 55 | 20 | 48 | 65 kg |
| 50155 | 014 | 55 | 20 | 60 | 65 kg |



Single Elements NeckTech "sport"

STAINLESS STEEL

- for lengthening the collar
- you will find corresponding instruction on www.sprenger.de (FAQs)

| article-no. | | | width mm | length cm |
|-------------|---------|----|----------|-----------|
| no. | quality | | | |
| 50505 | 000 | 55 | 20 | 3 |



NeckTech "sport" with ClicLock



STAINLESS STEEL

- base model with one ring
- safe & easy to apply the collar due to the ClicLock
- quick and pinpoint influence
- for characteristics please look on page 14

| article-no. | | | width mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|----------|-----------|---------------------------------|
| no. | quality | | | | |
| 50050 | 010 | 65 | 20 | 48 | 65 kg |
| 50050 | 014 | 65 | 20 | 60 | 65 kg |



Single Elements NeckTech "sport"



STAINLESS STEEL

- for lengthening the collar
- you will find corresponding instruction on www.sprenger.de (FAQs)

| article-no. | | | width mm | length cm |
|-------------|---------|----|----------|-----------|
| no. | quality | | | |
| 50505 | 000 | 65 | 20 | 3 |

NeckTech "sport" with ClicLock



- base model with one ring
- safe & easy to apply the collar due to the ClicLock
- quick and pinpoint influence
- for professional dog training
- for characteristics please look on page 14

| article-no. | | | width mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|----------|-----------|---------------------------------|
| no. | quality | | | | |
| 50050 | 010 | 66 | 20 | 48 | 65 kg |
| 50050 | 014 | 66 | 20 | 60 | 65 kg |



Single Elements NeckTech "sport"



- for lengthening the collar
- you will find corresponding instruction on www.sprenger.de (FAQs)

| article-no. | | | width mm | length cm |
|-------------|---------|----|----------|-----------|
| no. | quality | | | |
| 50505 | 000 | 66 | 20 | 3 |



NeckTech "sport" with ClicLock



- base model with one ring
- safe & easy to apply the collar due to the ClicLock
- quick and pinpoint influence
- for professional dog training
- for characteristics please look on page 14

| article-no. | | | width mm | length cm | for dogs with max. weight up to |
|-------------|---------|----|----------|-----------|---------------------------------|
| no. | quality | | | | |
| 50050 | 010 | 68 | 20 | 48 | 65 kg |
| 50050 | 014 | 68 | 20 | 60 | 65 kg |



ClicLock "Jacket"

- protective cover for the button of the ClicLock
- made of technical high-grade plastic
- the arrow on the back helps to fit the Jacket on the ClicLock
- from now on all products with ClicLock will be delivered with the Jacket

| article-no. | | | width mm | colour |
|-------------|---------|----|----------|------------|
| no. | quality | | | |
| 60152 | 020 | 71 | 20 | anthracite |



Single Elements NeckTech "sport"



- for lengthening the collar
- you will find corresponding instruction on www.sprenger.de (FAQs)

| article-no. | | | width mm | length cm |
|-------------|---------|----|----------|-----------|
| no. | quality | | | |
| 50505 | 000 | 68 | 20 | 3 |





Show Collar – Standard

STAINLESS STEEL

- specialist collar preferentially used for training resp. exam preparation for German Shepherds
- chain type 51506

| article-no. | | | wire gauge mm | for dogs with max. weight up to |
|-------------|------------------|---------|---------------|---------------------------------|
| no. | cm | quality | | |
| 51508 | 0.. 56 / 64 / 72 | 55 | 3.0 | 60 kg |



Show Collar “Influence++”

STAINLESS STEEL

- very specialist collar
- belongs only in the hands of proficient and responsible trainers
- chain type 51506

| article-no. | | | wire gauge mm | for dogs with max. weight up to |
|-------------|------------------|---------|---------------|---------------------------------|
| no. | cm | quality | | |
| 51518 | 0.. 56 / 64 / 72 | 55 | 3.0 | 60 kg |



Show Collar “Expert”

STAINLESS STEEL

- very specialist collar
- belongs only in hands of proficient and responsible trainers
- chain type 51506

| article-no. | | | wire gauge mm | for dogs with max. weight up to |
|-------------|------------------|---------|---------------|---------------------------------|
| no. | cm | quality | | |
| 51528 | 0.. 56 / 64 / 72 | 55 | 3.0 | 60 kg |



Show Collar – Standard

STAINLESS STEEL black

- specialist collar preferentially used for training resp. exam preparation for German Shepherds
- chain type 51506

| article-no. | | | wire gauge mm | for dogs with max. weight up to |
|-------------|------------------|---------|---------------|---------------------------------|
| no. | cm | quality | | |
| 51508 | 0.. 56 / 64 / 72 | 57 | 3.0 | 60 kg |



Show Collar – Standard

BRASS Polished


- specialist collar preferentially used for training resp. exam preparation for German Shepherds
- chain type 51506

| article-no. | | | wire gauge mm | for dogs with max. weight up to |
|-------------|------------------|---------|---------------|---------------------------------|
| no. | cm | quality | | |
| 51508 | 0.. 56 / 64 / 72 | 33 | 3.0 | 35 kg |

Nylon Covers with Velcro Fastener

- suitable for all ULTRA-PLUS training collars
- for all varieties with ClicLock and assembly chain

| article-no. | | | for all training collars with a wire gauge of (mm) |
|-------------|-----|---------|---|
| no. | cm | quality | |
| 59209 | 027 | 71 | 2.25 |
| 59209 | 035 | 71 | 2.25 |
| 59209 | 038 | 71 | 3.2 |
| 59209 | 048 | 71 | 4.0 |




COATERZ (designed by petlardo)

Coaterz

- stylish cover with Velcro fastener
- suitable for all ULTRA-PLUS training collars
- more details are on page four

| article-no. | | | | design | size |
|-------------|--------------------|----|--|-----------------|---------------------|
| no. | Größen | | | | |
| 59330 | ...001 / 002 / 003 | 00 | | Stars & Stripes | S 001 (31 x 2.5 cm) |
| 59331 | ...001 / 002 / 003 | 00 | | Desert Light | M 002 (45 x 3.5 cm) |
| 59332 | ...001 / 002 / 003 | 00 | | Pink Corona | L 003 (51 x 4.5 cm) |
| 59333 | ...001 / 002 / 003 | 00 | | Night Walker | |



Plastic Caps

- only available as a set
- for SPRENGER training collars optional if required

| article-no. | | | wire gauge mm | set |
|-------------|---------|----|------------------|-----------|
| no. | quality | | | |
| 50005 | 000 | 00 | 3.0 - 3.2 | 20 pieces |
| 50005 | 002 | 00 | 4.0 | 20 pieces |



360° Run For Dogs

**STAINLESS
STEEL**

- safe outdoor leashing of the dog
- pinned to the ground easily by using the personal body weight or a common hammer
- adapted for every natural ground
- uniform stability due to a hollow pipe
- remains stable in ground under extreme stress
- outstanding longevity
- all components are made of solid stainless steel

| article-no. | | | length cm | diameter mm |
|-------------|---------|----|--------------|----------------|
| no. | quality | | | |
| 55992 | 000 | 55 | 54 | 30 |



Signal Horn

**BRASS
Polished**

- popular tool for dog training
- strong and clear sound
- with chain

| article-no. | | | length cm |
|-------------|---------|----|--------------|
| no. | quality | | |
| 59551 | 000 | 30 | 27 |





HERM. SPRENGER GmbH
Metallwarenfabrik

Alexanderstraße 10-21 · 58644 Iserlohn · Germany
Postfach 24 53 · 58634 Iserlohn · Germany

Phone +49 (0) 23 71 95 59-0
Fax +49 (0) 23 71 95 59-60
hundesport@sprenger.de
www.sprenger.de